

Optimal Control for Ocean Wave Energy Converters

Ragnar Lothbrok

13th October 2022

Version: First Draft

Optimal Control for Ocean Wave Energy Converters

by
Ragnar Lothbrok

A dissertation submitted to

The University of Sheffield



in partial fulfillment of the requirements for the degree of

Doctor of Philosophy

13th October 2022

Ragnar Lothbrok

Optimal Control for Ocean Wave Energy Converters

PhD Dissertation, 13th October 2022

Supervisors: Dr Super Nice Guy

Dr Grumpy Guy

The University of Sheffield

Department of Automatic Control and Systems Engineering

Amy Johnson Building

Portobello Street

Sheffield, S1 3JD

*The real man smiles in
trouble, gathers strength
from distress, and grows
brave by reflection*

Proud Odin's Son

To the ferocious shield-maiden battlefields have had:

Lagertha.

Acknowledgement

To my family for their unconditional love and support.

Declaration

I, Ragnar Lothbrok, declare that the work presented in this thesis is my own. All material in this thesis which is not of my own work, has been properly accredited and referenced.

Sheffield, 13th October 2022

Ragnar Lothbrok

Abstract

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Contents

Chapter 1

Intro	1
1.1 Intro - Section 1	2
1.2 Intro - Section 2	2
1.2.1 Intro - Section 2.1	2
1.2.2 Intro - Section 2.2	3
1.3 Research Aim	3
1.4 Research Objectives	3
1.5 Research Contributions	4
1.6 Dissertation Outline	4

Chapter 2

Dissertation Background	7
2.1 Ch2 - Section 1	8
2.2 Ch2 - Section 2	8
2.3 Ch2 - Section 3	9
2.3.1 Ch2 - Subsection 3.1	9
2.3.2 Ch2 - Subsection 3.2	9
2.4 Chapter Summary	10

Chapter 3	Control Strategies: State of the Art13
	3.1 Ch3 - Section 1 14
	3.2 Ch3 - Section 2 15
	3.3 Ch3 - Section 3 15
	3.3.1 Ch3 - Subsection 3.1 16
	3.3.2 Ch3 - Subsection 3.2 16
	3.4 Chapter Summary 17
Chapter 4	Contributions19
	4.1 Ch4 - Section 1 20
	4.2 Ch4 - Section 2 20
	4.3 Ch4 - Section 3 21
	4.3.1 Ch4 - Subsection 3.1 21
	4.3.2 Ch4 - Subsection 3.2 21
	4.4 Chapter Summary 22
Chapter 5	Conclusions and future work25
	5.1 Conclusions 26
	5.2 Future work 27
References	References29
Appendix A	Paper 137
Appendix B	Paper 243
Appendix C	Paper 349

Intro

” *There is no wealth but life. Life, including all its powers of love, of joy, and of admiration.*

– John Ruskin –

1.1	Intro - Section 1.	2
1.2	Intro - Section 2	2
1.2.1	Intro - Section 2.1.	2
1.2.2	Intro - Section 2.2	3
1.3	Research Aim	3
1.4	Research Objectives	3
1.5	Research Contributions.	4
1.6	Dissertation Outline	4

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

1.1. Intro - Section 1

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

1.2. Intro - Section 2

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

1.2.1 Intro - Section 2.1

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci

et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

1.2.2 Intro - Section 2.2

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

1.3. Research Aim

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

1.4. Research Objectives

The project's overarching aim will be accomplished through the following list of objectives:

- a) Objective 1
- b) Objective 2
- c) Objective 3
- d) Objective 4

1.5. Research Contributions

The prime contributions gathered throughout the development of this project are summarised below:

- a) The primary contribution of the project is the development and implementation of...
- b) A further contribution is the proposal and implementation of
- c) Contribution of the paper *X*
- d) Contribution of the paper *Y*
- e) Finally, a parallel contribution of this project is...

1.6. Dissertation Outline

This dissertation is presented as...

- Chapter 1: Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.
- Chapter 2: Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc.

Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

- Chapter 3: Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.
- Chapter 4: Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.
- Chapter 5: Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec

varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

- Chapter 6: Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Dissertation Background

” *A genius is the man who can do the average thing when everyone else around him is losing his mind.*

– Napoleon –

2.1	Ch2 - Section 1	8
2.2	Ch2 - Section 2.	8
2.3	Ch2 - Section 3.	9
2.3.1	Ch2 - Subsection 3.1	9
2.3.2	Ch2 - Subsection 3.2	9
2.4	Chapter Summary	10

2.1. Ch2 - Section 1

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.[1]

2.2. Ch2 - Section 2

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.[2-4]



Figure 2.1.: Classification of wave energy converters by site of deployment. Extracted from [5]

2.3. Ch2 - Section 3

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.[3, 4, 6–11]



Figure 2.2.: Schematic representation of oscillating column water devices and overtopping devices. Extracted from [12]

2.3.1 Ch2 - Subsection 3.1

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.[3, 9]

2.3.2 Ch2 - Subsection 3.2

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed

accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.



Figure 2.3.: Examples of wave activated body devices with its respective classification based on the orientation.
Extracted from [13]

Applying the Newtons 2nd law to the floater, the motion of a point absorber WEC can be described in general by the following equation:

$$M \ddot{\zeta}(t) = F_h(t) + F_g(t) + F_{pto}(t) + F_{ext} \quad (2.1)$$

where M is the inertial matrix, ζ is the displacement of the floater, relative to its hydrostatic equilibrium position, F_h is the hydrodynamic force, F_g is the gravity force, $F_{PTO}(t)$ is the force exerted by the power take-off system (described in section XXX, control input), and F_{ext} group all possible external forces. This latter may include, but not limited to, mooring and other potentially non-linear forces, for example, end-stop forces.

2.4. Chapter Summary

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu

tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Control Strategies: State of the Art

” *The world is full of obvious things which nobody by any chance ever observes.*

– Sherlock Holmes –

3.1	Ch3 - Section 1	14
3.2	Ch3 - Section 2.	15
3.3	Ch3 - Section 3.	15
	3.3.1 Ch3 - Subsection 3.1	16
	3.3.2 Ch3 - Subsection 3.2	16
3.4	Chapter Summary	17

3.1. Ch3 - Section 1

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.[1]

Table 3.1.: Comparison of the main characteristics of single wave energy converters studies review

Reference	Dynamic Model		Constraints				Rad. Term	Excitation Force	Objective Function				Optimisation Problem				Robust Control
	LTI	N-L	Amp.	vel.	u	Δu			Pow.	Ene.	Δu	U	Svar	Tt	Q-P	N-LP	
Model Predictive Control Strategies																	
[14]	✓		✓		✓			Not considered	Predicted	✓						✓	
[15]	✓		✓	✓	✓			Damping	Perfect prediction	✓		✓	✓		✓		
[16]		✓	✓	✓	✓			Damping	Ideal Prediction	✓		✓	✓		✓		
[17]	✓		✓		✓	✓		Damping	Predicted	✓	✓	✓			✓		
[18]	✓		✓	✓	✓			Implicit	Perfect knowledge	✓	✓				✓		
[19]	✓				✓			Implicit	Predicted	✓	✓				✓		
[20]		✓	✓	✓	✓			Not considered	Predicted	✓		✓	✓		✓		
[21]	✓				✓		✓	ss-4th order	Perfect knowledge	✓		✓				✓	
[22]	✓				✓			Not specified	Predicted	✓		✓			✓		
[23]	✓				✓			ss - 5th order	Predicted	✓	✓				✓		
[24]	Experimental application of [23]																
[25]	✓		✓	✓		✓		Damping	Predicted					✓	✓		
[26]	✓		✓			✓		ss - 4th order	Ideal Prediction					✓	✓		
[27]	✓		✓	✓	✓			ss - 4th order	Perfect knowledge	✓		✓			✓	✓	
Hals2011	✓		✓		✓			ss - 4th order	Ideal Prediction						✓		
[28]	✓		✓					ss - 6th order	Perfect knowledge	✓	✓				✓		
[29]	✓		✓	✓				ss - 5th order	Perfect knowledge	✓	✓	✓			✓		
[30]	✓		✓		✓			ss - 5th order	Predicted	✓		✓			✓		
[31]	✓		✓	✓	✓			Not specified	Predicted	✓					✓		
[32]	✓				✓			Not specified	Not specified	✓					✓		
[33]	✓				✓			ss - 4th order	Not specified					✓	✓		
[34]	✓			✓				ss - 3rd order	Perfect knowledge	✓						✓	
Model Predictive Ccontrol - Like Strategies																	
[35]		✓	✓		✓			ss - 3rd order	Predicted	✓					✓		
[36]	✓		✓					SP (Fourier)	Predicted	✓					✓		
[37]	✓		✓	✓	✓			PS (HRCF)	Not specified	✓					✓		
[38]	✓		✓		✓			Damping	Not specified	✓		✓			✓		
[39]		✓	✓	✓	✓		✓	PS (Fourier)	Not specified	✓					✓		
[40]	✓		✓		✓			ss - 8th order	Perfect knowledge	✓					✓		
[41]	✓		✓		✓			SP/PS (Fourier)	Not specified	✓				✓	✓		
[42]		✓						PS (Fourier)	Not specified	✓					✓		
[43]	✓		✓	✓	✓			PS (HRCF)	Perfect knowledge	✓					✓		
[44]	✓		✓	✓	✓			PS (HRCF)	Perfect knowledge	✓					✓		
[45]	✓		✓	✓	✓			PS (Fourier)	Not specified	✓					✓		
[46]	✓		✓	✓	✓			PS (HRCF)	Not specified	✓					✓		

Note: This table is based partially on the information published in [47].

3.2. Ch3 - Section 2

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.[2-4]



Figure 3.1.: Classification of wave energy converters by site of deployment. Extracted from [5]

3.3. Ch3 - Section 3

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.[3, 4, 6-11]



Figure 3.2.: Schematic representation of oscillating column water devices and overtopping devices. Extracted from [12]

3.3.1 Ch3 - Subsection 3.1

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.[3, 9]

3.3.2 Ch3 - Subsection 3.2

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Applying the Newtons 2nd law to the floater, the motion of a point absorber WEC can be described in general by the following equation:

$$M \ddot{\zeta}(t) = F_h(t) + F_g(t) + F_{pto}(t) + F_{ext} \quad (3.1)$$

where M is the inertial matrix, ζ is the displacement of the floater, relative to its hydrostatic equilibrium position, F_h is the hydrodynamic force, F_g is the gravity force, $F_{PTO}(t)$ is the force exerted by the power take-off system (described in section XXX, control input), and F_{ext} group all possible external forces. This latter may include, but not limited to, mooring and other potentially non-linear forces, for example, end-stop forces.



Figure 3.3.: Examples of wave activated body devices with its respective classification based on the orientation.
Extracted from [13]

3.4. Chapter Summary

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Contributions

” *You can’t do better design with a computer,
but you can speed up your work
enormously.*

– Wim Crouwel –

4.1	Ch4 - Section 1	20
4.2	Ch4 - Section 2.	20
4.3	Ch4 - Section 3.	21
4.3.1	Ch4 - Subsection 3.1	21
4.3.2	Ch4 - Subsection 3.2	21
4.4	Chapter Summary	22

4.1. Ch4 - Section 1

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.[1]

4.2. Ch4 - Section 2

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.[2-4]



Figure 4.1.: Classification of wave energy converters by site of deployment. Extracted from [5]

4.3. Ch4 - Section 3

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.[3, 4, 6–11]



Figure 4.2.: Schematic representation of oscillating column water devices and overtopping devices. Extracted from [12]

4.3.1 Ch4 - Subsection 3.1

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.[3, 9]

4.3.2 Ch4 - Subsection 3.2

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed

accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.



Figure 4.3.: Examples of wave activated body devices with its respective classification based on the orientation.
Extracted from [13]

Applying the Newtons 2nd law to the floater, the motion of a point absorber WEC can be described in general by the following equation:

$$M \ddot{\zeta}(t) = F_h(t) + F_g(t) + F_{pto}(t) + F_{ext} \quad (4.1)$$

where M is the inertial matrix, ζ is the displacement of the floater, relative to its hydrostatic equilibrium position, F_h is the hydrodynamic force, F_g is the gravity force, $F_{PTO}(t)$ is the force exerted by the power take-off system (described in section XXX, control input), and F_{ext} group all possible external forces. This latter may include, but not limited to, mooring and other potentially non-linear forces, for example, end-stop forces.

4.4. Chapter Summary

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu

tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Conclusions and future work

” *Anyone who stops learning is old, whether at twenty or eighty. Anyone who keeps learning stays young. The greatest thing in life is to keep your mind young.*

– Henry Ford –

5.1	Conclusions	26
5.2	Future work	27

5.1. Conclusions

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

5.2. Future work

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

References

- [1] IRENA (International Renewable Energy Agency). *Innovation Outlook: Ocean Energy Technologies*. 2020, pp. 1–112 (cit. on pp. 8, 14, 20).
- [2] Alain Clément, Pat McCullen, António Falcão et al. *Wave energy in Europe: Current status and perspectives*. Oct. 2002 (cit. on pp. 8, 15, 20).
- [3] Iraide López, Jon Andreu, Salvador Ceballos, Iñigo Martínez De Alegria and Iñigo Kortabarria. ‘Review of wave energy technologies and the necessary power-equipment’. In: *Renewable and Sustainable Energy Reviews* 27 (Nov. 2013), pp. 413–434 (cit. on pp. 8, 9, 15, 16, 20, 21).
- [4] Bingyong Guo, Ron J. Patton, Siya Jin and Jianglin Lan. ‘Numerical and experimental studies of excitation force approximation for wave energy conversion’. In: *Renewable Energy* 125 (Sept. 2018), pp. 877–889 (cit. on pp. 8, 9, 15, 20, 21).
- [5] Omar Farrok, Koushik Ahmed, Abdirazak Dahir Tahlil et al. ‘Electrical power generation from the oceanic wave for sustainable advancement in renewable energy technologies’. In: *Sustainability (Switzerland)* 12 (6 Mar. 2020) (cit. on pp. 8, 15, 20).
- [6] Wanan Sheng. ‘Wave energy conversion and hydrodynamics modelling technologies: A review’. In: *Renewable and Sustainable Energy Reviews* (2019), pp. 482–498 (cit. on pp. 9, 15, 21).
- [7] Liguang Wang, Jan Isberg and Elisabetta Tedeschi. ‘Review of control strategies for wave energy conversion systems and their validation: the wave-to-wire approach’. In: *Renewable and Sustainable Energy Reviews* 81. June 2017 (2018), pp. 366–379 (cit. on pp. 9, 15, 21).

- [8] António F.de O. Falcão. 'Wave energy utilization: A review of the technologies'. In: *Renewable and Sustainable Energy Reviews* 14.3 (2010), pp. 899–918 (cit. on pp. 9, 15, 21).
- [9] B. Drew, A. R. Plummer and M. N. Sahinkaya. 'A review of wave energy converter technology'. In: *Proceedings of the Institution of Mechanical Engineers, Part A: Journal of Power and Energy* 223.8 (2009), pp. 887–902 (cit. on pp. 9, 15, 16, 21).
- [10] Tunde Aderinto and Hua Li. 'Ocean Wave energy converters: Status and challenges'. In: *Energies* 11 (2018) (cit. on pp. 9, 15, 21).
- [11] Balazs Czech and Pavol Bauer. 'Wave energy converter concepts : Design challenges and classification'. In: *IEEE Industrial Electronics Magazine* 6 (2 2012), pp. 4–16 (cit. on pp. 9, 15, 21).
- [12] Rico Hjern Hansen. 'Design and Control of the PowerTake-Off System for a Wave Energy Converter with Multiple Absorbers'. PhD thesis. Aalborg University, 2013 (cit. on pp. 9, 16, 21).
- [13] Rico H. Hansen, Morten M. Kramer and Enrique Vidal. 'Discrete displacement hydraulic power take-off system for the wavestar wave energy converter'. In: *Energies* 6.8 (Aug. 2013), pp. 4001–4044 (cit. on pp. 10, 17, 22).
- [14] Guang Li, George Weiss, Markus Mueller, Stuart Townley and Mike R. Belmont. 'Wave energy converter control by wave prediction and dynamic programming'. In: *Renewable Energy* 48 (2012), pp. 392–403 (cit. on p. 14).
- [15] Ted K.A. Brekken, Markus Richter, Oliver Sawodny and Mario E. Magaña. 'Power optimisation of a point absorber wave energy converter by means of linear model predictive control'. In: *IET Renewable Power Generation* 8.2 (2014), pp. 203–215 (cit. on p. 14).
- [16] Markus Richter, Mario E. Magana, Oliver Sawodny and Ted K. A. Brekken. 'Nonlinear Model Predictive Control of a Point Absorber Wave Energy Converter'. In: *Sustainable Energy, IEEE Transactions on* 4.1 (Jan. 2013), pp. 118–126 (cit. on p. 14).
- [17] Guang Li and Michael R. Belmont. 'Model predictive control of sea wave energy converters - Part I: A convex approach for the case of a single device'. In: *Renewable Energy* 69 (2014), pp. 453–463 (cit. on p. 14).
- [18] Sebastien Olaya, Jean Matthieu Bourgeot and Mohamed Benbouzid. 'Optimal control for a self-reacting point absorber: A one-body equivalent model approach'. In: *Proceedings - 2014 International Power Electronics and Application Conference and Exposition, IEEE PEAC 2014*. IEEE, Nov. 2014, pp. 332–337 (cit. on p. 14).

- [19] Sébastien Olaya, Jean-Matthieu Bourgeot and Mohamed El Hachemi Benbouzid. 'On the Generator Constraint Design of a Wave Energy Converter at a Pre-Sizing Stage'. In: *11th European Wave and Tidal Energy Conference EWTEC'2015* (2015), pp. 1–9 (cit. on p. 14).
- [20] Kai Uwe Amann, Mario Edgardo Magaña and Oliver Sawodny. 'Model Predictive Control of a Nonlinear 2-Body Point Absorber Wave Energy Converter With Estimated State Feedback'. In: *IEEE Transactions on Sustainable Energy* 6.2 (2015), pp. 336–345 (cit. on p. 14).
- [21] Thibaut Kovaltchouk, François Rongère, Muriel Primot et al. 'Model Predictive Control of a Direct Wave Energy Converter Constrained by the Electrical Chain using an Energetic Approach'. In: *European Wave and Tidal Energy Conference (EWTEC)* (2015), pp. 1–10 (cit. on p. 14).
- [22] Palle Andersen, Tom S. Pedersen, Kirsten M. Nielsen and Enrique Vidal. 'Model predictive control of a wave energy converter'. In: *2015 IEEE Conference on Control and Applications, CCA 2015 - Proceedings*. IEEE, Sept. 2015, pp. 1540–1545 (cit. on p. 14).
- [23] Paolino Tona, Hoai-nam Nguyen, Guillaume Sabiron and Yann Creff. 'An Efficiency-Aware Model Predictive Control Strategy for a Heaving Buoy Wave Energy Converter'. In: *Ewtec*. 2015, pp. 1–10 (cit. on p. 14).
- [24] Hoai-Nam Nam Nguyen, Guillaume Sabiron, Paolino Tona, Morten Mejlhede Kramer and Enrique Vidal Sanchez. 'Experimental validation of a nonlinear mpc strategy for a wave energy converter prototype'. In: *Proceedings of the International Conference on Offshore Mechanics and Arctic Engineering - OMAE*. Vol. 6. South Korea: American Society of Mechanical Engineers (ASME), June 2016, pp. 1–10 (cit. on p. 14).
- [25] Ted K.A. Brekken. 'On model predictive control for a point absorber wave energy converter'. In: *2011 IEEE PES Trondheim PowerTech: The Power of Technology for a Sustainable Society, POWERTECH 2011*. IEEE, June 2011, pp. 1–8 (cit. on p. 14).
- [26] Mohammed Jama, Addy Wahyudie, Ali Assi and Hassan Noura. 'Function-Based Model Predictive Control Approach for Maximum Power Capture of Heaving Wave Energy Converters'. In: *3rd International Conference on Renewable Energy: Generation and Applications" ICREGA'14*. Springer, Cham, 2014, pp. 299–313 (cit. on p. 14).
- [27] Adrian C.M. O'Sullivan and Gordon Lightbody. 'Co-design of a wave energy converter using constrained predictive control'. In: *Renewable Energy* 102 (2017), pp. 142–156 (cit. on p. 14).

- [28] J. Cretel, A. W. Lewis, G. Lightbody and G. P. Thomas. 'An application of Model Predictive Control to a wave energy point absorber'. In: *IFAC Proceedings Volumes (IFAC-PapersOnline)* 1.PART 1 (2010), pp. 267–272 (cit. on p. 14).
- [29] J. A.M. Cretel, G. Lightbody, G. P. Thomas and A. W. Lewis. 'Maximisation of energy capture by a wave-energy point absorber using model predictive control'. In: *Proceedings of the 18th World Congress The International Federation of Automatic Control*. Vol. 44. PART 1. Milano, Italy: IFAC, 2011, pp. 3714–3721 (cit. on p. 14).
- [30] Dan El Montoya Andrade, Antonio De La Villa Jaén and Agustín García Santana. 'Considering linear generator copper losses on model predictive control for a point absorber wave energy converter'. In: *Energy Conversion and Management* 78 (2014), pp. 173–183 (cit. on p. 14).
- [31] Daniele Cavaglieri, Thomas R. Bewley and Mirko Previsic. 'Model Predictive Control leveraging Ensemble Kalman forecasting for optimal power take-off in wave energy conversion systems'. In: *Proceedings of the American Control Conference*. Vol. 2015-July. Chicago: IEEE, July 2015, pp. 5224–5230 (cit. on p. 14).
- [32] Mohsen N. Soltani, Mahdi T. Sichani and Mahmood Mirzaei. 'Model Predictive Control of Buoy Type Wave Energy Converter'. In: *Proceedings of the 19th World Congress The International Federation of Automatic Control*. Vol. 47. 3. Cape Town, South Africa: IFAC, 2014, pp. 11159–11164 (cit. on p. 14).
- [33] Mohammed Jama, Addy Wahyudie, Ali Assi and Hassan Noura. 'Controlling heaving wave energy converter using function-based model predictive control technique'. In: *2013 25th Chinese Control and Decision Conference, CCDC 2013*. IEEE, May 2013, pp. 2705–2710 (cit. on p. 14).
- [34] Edo Abraham and Eric C. Kerrigan. 'Optimal active control and optimization of a wave energy converter'. In: *IEEE Transactions on Sustainable Energy* 4.2 (Apr. 2013), pp. 324–332 (cit. on p. 14).
- [35] Guang Li. 'Nonlinear model predictive control of a wave energy converter based on differential flatness parameterisation'. In: *International Journal of Control* 90.1 (2017), pp. 68–77 (cit. on p. 14).
- [36] Giorgio Bacelli, John V. Ringwood and Gilloteaux Jean-Christophe. 'A control system for a self-reacting point absorber wave energy converter subject to constraints'. In: *Proceedings of the 18th World Congress The International Federation of Automatic Control*. Vol. 18. PART 1. Milano, Italy: IFAC, 2011, pp. 11387–11392 (cit. on p. 14).

- [37] Romain Genest and John V. Ringwood. 'Receding Horizon Pseudospectral Control for Energy Maximization With Application to Wave Energy Devices'. In: *IEEE Transactions on Control Systems Technology* 25.1 (Jan. 2017), pp. 29–38 (cit. on p. 14).
- [38] Daniel R Herber and James T Allison. 'Wave energy extraction maximization in irregular ocean waves using pseudospectral methods'. In: *Proceedings of the ASME Design Engineering Technical Conference*. Vol. 3 A. Portland, Oregon, USA, 2013 (cit. on p. 14).
- [39] G. Bacelli, R. Genest and J. V. Ringwood. 'Nonlinear control of flap-type wave energy converter with a non-ideal power take-off system'. In: *Annual Reviews in Control* 40 (Jan. 2015), pp. 116–126 (cit. on p. 14).
- [40] Ossama Abdelkhalik, Rush Robinett, Shangyan Zou et al. 'On the control design of wave energy converters with wave prediction'. In: *Journal of Ocean Engineering and Marine Energy* 2.4 (Nov. 2016), pp. 473–483 (cit. on p. 14).
- [41] Giorgio Bacelli and John V. Ringwood. 'Numerical Optimal Control of Wave Energy Converters'. In: *IEEE Transactions on Sustainable Energy* 6.2 (Apr. 2015), pp. 294–302 (cit. on p. 14).
- [42] Giorgio Bacelli and John V. Ringwood. 'Nonlinear optimal wave energy converter control with application to a flap-type device'. In: *IFAC Proceedings Volumes (IFAC-PapersOnline)*. Vol. 19. 3. Elsevier, Jan. 2014, pp. 7696–7701 (cit. on p. 14).
- [43] Romain Genest and John V. Ringwood. 'A critical comparison of model-predictive and pseudospectral control for wave energy devices'. In: *Journal of Ocean Engineering and Marine Energy* 2.4 (2016), pp. 485–499 (cit. on p. 14).
- [44] Romain Genest and John Ringwood. 'Receding horizon pseudospectral optimal control for wave energy conversion'. In: *2016 UKACC International Conference on Control, UKACC Control 2016*. IEEE, Aug. 2016, pp. 1–6 (cit. on p. 14).
- [45] Francesco Paparella and John V. Ringwood. 'Optimal Control of a Three-Body Hinge-Barge Wave Energy Device Using Pseudospectral Methods'. In: 8.1 (Jan. 2017), pp. 200–207 (cit. on p. 14).
- [46] Francesco Paparella and John V Ringwood. 'Receding Horizon Pseudo-Spectral Control for Energy Maximization of a 1/25 th Scale Hinge-Barge Wave Energy Converter'. In: *12th European Wave and Tidal Energy Conference European Wave and Tidal Energy Conference (EWTEC)*. 2017 (cit. on p. 14).
- [47] Nicolás Faedo, Sébastien Olaya and John V. Ringwood. 'Optimal Control, MPC and MPC-Like Algorithms for Wave Energy Systems: An Overview'. In: *IFAC Journal of Systems and Control* (2017) (cit. on p. 14).

Appendices

A

Paper 1

Paper 1

Paper 1

Paper 1

Paper 1

Paper 1

B

Paper 2

Paper 2

Paper 2

Paper 2

Paper 2

Paper 2

C

Paper 3

Paper 3

Paper 3

Paper 3

Paper 3

Paper 3

